



KITCHEN APPLIANCES MADE EASY.

The logo for CHEF, featuring a stylized white outline of a chef's hat above the word "CHEF" in a bold, white, sans-serif font.

EASY LIVING.



Our mission is to make life easy. We keep things simple by designing appliances that take the fuss out of cooking so you can be free to focus on the things you love.

Our range of easy-to-use kitchen appliances makes cooking what it should be. Simple and enjoyable. We make uncomplicated appliances, without compromising on style.

Chef. Making life in the kitchen simple for over 70 years.

OVENS	04
COOKTOPS	14
RANGEHOODS	32
LIKE TO KNOW MORE?	56


OVENS MADE EASY.

Our built-in oven range will meet all your cooking needs whether you're preparing a traditional family roast, feeding a crowd or whipping up a delicious dessert. With features that make life simple and uncomplicated, in an easy-to-install design that you'll love, there's a Chef oven to suit your kitchen, your food and the way you like to cook.



CHEF

OVENS



NEW DARK DESIGN.

Our new dark design brings to life the latest kitchen trends with modern matt black finishes and dark glass to elevate any kitchen space.*

HIGH HEAT FOR INCREDIBLE ROASTS. EASY.

Rapid, high and even heat means better roasts at home with our Quick Cook function.*



AN OVEN THAT CLEANS ITSELF. EASY.

Our Easy Pyro Clean means fuss free and effortless cleaning. At the press of a button, the pyrolytic function means the oven reaches high temperatures and turns residue into ash – so all you need to do is gently wipe away.*



BUILT IN AUSTRALIA

Chef has been part of Australian homes for generations and the kitchen appliance brand we have always known and trusted to build reliable products. This oven is built in a local factory in Adelaide.

SIMPLY PLUG TO PLAY. EASY.

Installation is quick and easy and doesn't require professional help. The standard 10amp plug connects straight into the wall so you can start cooking delicious meals straight away.*



* Selected models

OVENS



CVE612WB

60cm multi-function 3 oven, white

- 10A Plug & Play
- Easy to use dial controls
- Fan forced for even cooking results
- 80L gross capacity
- Cooler to touch door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 597h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 600h x 581d (mm)



CVE612DB

60cm multi-function 3 oven, black

- 10A Plug & Play
- Easy to use dial controls
- Fast and even cooking results
- 80L gross capacity
- Cooler to touch door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 597h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 600h x 581d (mm)



CVE612SB

60cm multi-function 3 oven, stainless steel

- 10A Plug & Play
- Easy to use dial controls
- Fast and even cooking results
- 80L gross capacity
- Cooler to touch door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 597h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 600h x 581d (mm)



CVE614DB

60cm multi-function 7 oven, black

- Quick Cook function
- Easy to use dial controls
- Programmable timer
- Fan forced for even cooking results
- Easy guide side racks
- 80L gross capacity
- Easy guide side racks
- Cooler to touch door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 597h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 600h x 581d (mm)

OVENS



CVEP614DB

60cm multi-function 7 Easy Pyro Clean oven, black

- Pyrolytic cleaning function
- Quick Cook function
- Programmable timer
- Fan forced for even cooking results
- Easy guide side racks
- 80L gross capacity
- Cooler to touch door (4 layer glass)
- Built in Australia

Product Dimensions: 596w x 597h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 600h x 581d (mm)



CVE662WB

60cm multi-function 3 oven with separate grill, white

- Separate oven and grill functions
- Easy to use dial controls
- Fan forced for even cooking results
- 80L/46L gross capacity
- Cooler to touch main door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 890h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 893h x 581d (mm)



CVE662SB

60cm multi-function 3 oven with separate grill, stainless steel

- Separate oven and grill functions
- Easy to use dial controls
- Fan forced for even cooking results
- 80L/46L gross capacity
- Cooler to touch main door (3 layer glass)
- Built in Australia

Product Dimensions: 596w x 890h x 573d (mm)
Cut-out Dimensions (Flush Mount) 600w x 893h x 581d (mm)



COOKTOPS MADE EASY.

For a straightforward cooking solution, we have a range of gas, ceramic, electric and induction cooktops. Now with a better fit, feel and finish than ever before, a Chef cooktop is your secret ingredient to delicious and fuss free food.

CHEF



GAS COOKTOPS



HIGH POWERED WOK BURNER.

This high-powered wok burner means that you finally get the heat you need to cook delicious and nutritious stir fry at home.*

PUSH AND GO. EASY.

One push start ignition, first time, every time.*




SIDE CONTROLS FOR EASY ACCESS

Side cooktop controls that are easy to use and positioned for safety, so you never have to reach over hot pots and pans again.



CAST-IRON TRIVETS

Our cast iron trivets have been designed to keep your pots and pans stable, as well as being easy to move around between burners.*




COOKTOP CLEANING MADE EASY

Enjoy more cooking and less cleaning with our easy to clean cooktops.



* Selected models




CHG644WC

60cm 4 burner gas cooktop, white

- 14.4mj/hr high powered wok burner
- Heavy-duty cast-iron trivets
- One push start ignition
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)



CHG644SC

60cm 4 burner gas cooktop, stainless steel

- 14.4mj/hr high powered wok burner
- Heavy-duty cast-iron trivets
- One push start ignition
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)




CHG644DC

60cm 4 burner gas cooktop, black

- 14.4mj/hr high powered wok burner
- Heavy-duty cast-iron trivets
- One push start ignition
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)




CHG954WC

90cm 5 burner gas cooktop, white

- 14.4mj/hr high powered wok burner
- Heavy-duty cast-iron trivets
- One push start ignition
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 860w x 510d x 55h (mm)
Cut-out Dimensions: 830w x 470d (mm)




CHG954SC

90cm 5 burner gas cooktop, stainless steel

- 14.4mj/hr high powered wok burner
- Heavy-duty cast-iron trivets
- One push start ignition
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 860w x 510d x 55h (mm)
Cut-out Dimensions: 830w x 470d (mm)




CHG642WC

60cm 4 burner gas cooktop, white

- 12.1 mj/hr wok burner
- Enamelled trivets
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)



CHG642SC

60cm 4 burner gas cooktop, stainless steel

- Non-hardwired for easy installation
- 12.1 mj/hr wok burner
- Enamelled trivets
- Stylish and functional control knobs
- Easy access side controls
- Flame Failure safety


Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)

INDUCTION COOKTOPS



SAFE AND SOUND CHILD LOCK

Know that your family is safe thanks to an added child lock feature that prevents them from starting the cooktop by accident.



TRANSITION TO INDUCTION? EASY.

It's an easy transition from a electric cooktop to a Chef induction. If the rated input power of your current electric cooktop is 6.5kW* or less, you can easily upgrade to our induction cooktop with minimal fuss.




AUTO OFF SAFETY FEATURE

A safety feature which ensures that your cooktop will automatically turn off when cooking zones are unattended or a spill occurs.



TOUCH ON GLASS CONTROL

Our cooktops have easy to use touch on glass control for a seamless and more responsive cooking experience.



*We recommend contacting a licenced electrician to determine whether your home's existing electric service can support the appliance.

INDUCTION COOKTOPS




CHI644BB

60cm 4 zone induction cooktop

- Powerboost 3.2kW
- 6.5kW rated input power
- Responsive touch on glass control
- 9 power levels
- Auto off safety feature
- Child lock feature

Product Dimensions: 590w x 520d x 51h (mm)
Cut-out Dimensions: 560w x 490d (mm)




CHI944BB

90cm 4 zone induction cooktop

- Powerboost 3.2kW
- 6.5kW rated input power
- Responsive touch on glass control
- 9 power levels
- Auto off safety feature
- Child lock feature

Product Dimensions: 900w x 515d x 51h (mm)
Cut-out Dimensions: 880w x 490d (mm)



CERAMIC COOKTOPS

TOUCH ON GLASS CONTROL


Our cooktops have easy to use touch on glass control for a seamless and more responsive cooking experience.**

**CHC644BB only

STYLISH BLACK CONTROL KNOBS

Style and simplicity unite with our easy to use black cooktop knobs.

Selected models only




DESIGNED FOR A SAFER COOKING EXPERIENCE

Designed with your safety in mind, our hot surface indicator alerts you when your cooktop surface is hot.




SAFE AND SOUND CHILD LOCK


Know that your family is safe thanks to an added child lock feature that prevents them from starting the cooktop by accident.



EASY TO CLEAN SURFACE

Enjoy more cooking and less cleaning with our easy to clean cooktops.






CHC642BB

60cm 4 zone ceramic cooktop

- 2.3kW powerful zone
- Easy to clean surface
- Stylish and functional control knobs
- Hot surface indicator
- Auto off safety feature
- 4 power levels

Product Dimensions: 590w x 520d x 51h (mm)
Cut-out Dimensions: 560w x 490d (mm)




CHC644BB

60cm 4 zone ceramic cooktop

- 2.3kW powerful zone
- Responsive touch on glass control
- Easy to clean surface
- Child lock
- Hot surface indicator
- Auto off safety feature
- 9 power levels

Product Dimensions: 590w x 520d x 51h (mm)
Cut-out Dimensions: 560w x 490d (mm)



CHC942BB

90cm 4 zone ceramic cooktop

- 2.3kW powerful zone
- Easy to clean surface
- Stylish and functional control knobs
- Hot surface indicator
- Auto off safety feature
- 4 power levels

Product Dimensions: 900w x 520d x 51h (mm)
Cut-out Dimensions: 880w x 490d (mm)



CHS642WB

60cm 4 zone solid cooktop, white

- Corrosion resistant solid hotplates
- 2.0kW powerful zone
- Residual Heat Indicator
- Auto safety cut off
- Easy to clean surface
- Stylish and functional control knobs
- Easy access side controls

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)



CHS642SB

60cm 4 zone solid cooktop, stainless steel

- Corrosion resistant solid hotplates
- 2.0kW powerful zone
- Residual Heat Indicator
- Auto safety cut off
- Easy to clean surface
- Stylish and functional control knobs
- Easy access side controls

Product Dimensions: 600w x 535d x 58h (mm)
Cut-out Dimensions: 570w x 490d (mm)



CHS942WB

90cm 4 zone solid cooktop, white

- Corrosion resistant solid hotplates
- 2.0kW powerful zone
- Residual Heat Indicator
- Auto safety cut off
- Easy to clean surface
- Stylish and functional control knobs
- Easy access side controls

Product Dimensions: 870w x 406d x 58h (mm)
Cut-out Dimensions: 825w x 362d (mm)

RANGEHOODS MADE EASY.



BANISH KITCHEN SMOKE AND ODOURS

Keep your kitchen free from smoke and cooking odours with Chef's high extraction rate.




CONTROL WITH EASE

The user friendly and fuss free controls offer a simpler cooking experience.



DISHWASHER SAFE FILTERS. EASY

The easy to remove rangehood filters can be washed safely in the dishwasher for a mess-free clean up.



LOW ENERGY AND LONG LASTING LED LIGHTING

A rangehood that lights up so you can cook with ease. Cook and see your meal clearly with our bright LED lighting that is both low energy and long lasting



FIXED RANGEHOODS



CRF610SB

60cm fixed rangehood, stainless steel

- 200 m³/hr extraction rate
- Long lasting LED lighting
- 3 speed fan
- Dishwasher safe filters
- Easy to use slider control
- Recirculation carbon filter: optional

Product Dimensions: 598w x 160h x 500d (mm)



CRF610WB

60cm fixed rangehood, white

- 200 m³/hr extraction rate
- Long lasting LED lighting
- 3 speed fan
- Dishwasher safe filters
- Easy to use slider control
- Recirculation carbon filter: optional

Product Dimensions: 598w x 160h x 500d (mm)



SLIDE-OUT RANGEHOODS



CRR612SB

60cm slide-out rangehood, stainless steel

- 200 m³/hr extraction rate
- Long lasting LED lighting
- 2 speed fan
- Dishwasher safe filters
- Easy to use slide out control
- Recirculation carbon filter: optional

Product Dimensions: 597w x 175h x 300d (mm)
Fascia height: 40 (mm)



CRR612WB

60cm slide-out rangehood, white

- 200 m³/hr extraction rate
- Long lasting LED lighting
- 2 speed fan
- Dishwasher safe filters
- Easy to use slide out control
- Recirculation carbon filter: optional

Product Dimensions: 597w x 175h x 300d (mm)
Fascia height: 40 (mm)



CRR612DB

60cm slide-out rangehood, black

- 200 m³/hr extraction rate
- Long lasting LED lighting
- 2 speed fan
- Dishwasher safe filters
- Easy to use slide out control
- Recirculation carbon filter: optional

Product Dimensions: 597w x 175h x 300d (mm)
Fascia height: 40 (mm)

INTEGRATED RANGEHOODS



CRI514DB

50cm integrated rangehood, black

- 340 m³/hr extraction rate
- Long lasting LED lighting
- 2 speed fan
- Dishwasher safe filters
- Easy to use slider control

Product Dimensions: 512w x 200h x 304d (mm)




CRI714DB

70cm integrated rangehood, black

- 370 m³/hr extraction rate
- Long lasting LED lighting
- 2 speed fan
- Dishwasher safe filters
- Easy to use slider control

Product Dimensions: 712w x 200h x 304d (mm)



CANOPY RANGEHOODS



CRC612SB

60cm canopy rangehood, stainless steel

- 550 m³/hr extraction rate
- Long lasting LED lighting
- 3 speed fan
- Dishwasher safe filters
- Easy to use push button controls

Product Dimensions: 598w x (1240h max) x 500d (mm)



CRC914DB

90cm canopy rangehood, black

- Powerful 800 m³/hr extraction rate
- Long lasting LED lighting
- 3 speed fan
- Dishwasher safe filters
- Easy to use push button controls

Product Dimensions: 900w x (690-1135h) x 500d (mm)



CRC914SB

90cm canopy rangehood, stainless steel

- Powerful 800 m³/hr extraction rate
- Long lasting LED lighting
- 3 speed fan
- Dishwasher safe filters
- Easy to use push button controls

Product Dimensions: 900w x (690-1135h) x 500d (mm)

SEPARATE GRILL OVENS




CVE662WB

CVE662SB

Type	electric, separate grill	electric, separate grill
Finish	White	Stainless steel
Gross capacity (L)	80, 46 (separate grill)	80, 46 (separate grill)
Controls	knob	knob
Timer	2 hour mechanical	2 hour mechanical
Oven features		
Built in Australia	✓	✓
Easy Clean formed side support	✓ (main oven only)	✓ (main oven only)
accessories		
Easy guide side racks	✓ (grill only)	✓ (grill only)
Wire shelves	2	2
Enamel grill dish	✓	✓
Grill Insert	✓	✓
programs/functions		
Number of programs	multifunction 3	multifunction 3
Fan Bake	✓	✓
Grill	✓	✓
Defrost	✓	✓
lights		
Number & position	1, rear (main oven only)	1, rear (main oven only)
Light Wattage	25W	25W
door		
Glass layers in door	3 (main oven), 2 (grill)	3 (main oven), 2 (grill)
Removable glass	Yes	Yes
power rating		
Connection	Hardwired	Hardwired
Max Power Rating (Amps)	18.8	18.8
Maximum current rating (kW)	4.5kW	4.5kW
Voltage	220-240V 50Hz	220-240V 50Hz
dimensions		
Product WxHxD (mm)	596 x 890 x 573	596 x 890 x 573
Flush mount cut-out WxHxD (mm)	600 x 893 x 581	600 x 893 x 581

INDUCTION COOKTOPS




CHI644BB

CHI944BB

Type	induction	induction
Cooktop finish	black ceramic glass	black ceramic glass
Control	touch	touch
Width (nominal)	60cm	90cm
features		
PowerBoost	✓	✓
Pause		✓
Timer		✓
Minute Minder		✓
Auto Warm Up		✓
Keep Warm		✓
Pot Detection	✓	✓
Child lock	✓	✓
Auto-Off	✓	✓
Hot Surface Indicator	✓	✓
cooking zones		
No. of zones	4	4
No. of power levels	9	9
Left front (power, W)	2300/3200	2300/3200
Left rear (power, W)	1400/2500	1400/2500
Right front (power, W)	1400/2500	1400/2500
Right rear (power, W)	1800/2800	1800/2800
power rating		
Connection	hardwired	hardwired
Max Power Rating (kW)	6.5	6.5
Voltage	220-240V	220-240V
dimensions[^]		
Product WxDxH (mm)	590 x 520 x 51	900 x 515 x 51
Cut-out WxD (mm)	560 x 490	880 x 490

CERAMIC COOKTOPS








	CHC642BB	CHC644BB	CHC942BB
Type	electric	electric	electric
Cooktop finish	black ceramic glass	black ceramic glass	black ceramic glass
Control	knobs, black	touch	knobs, black
Width (nominal)	60cm	60cm	90cm
features			
Powerful zone	✓	✓	✓ (dual zone)
Child lock		✓	
Auto safety cut off	✓	✓	✓
Hot Surface/residual heat indicator	✓	✓	✓
cooking zones			
No. of zones	4	4	4
No. of power levels	6	9	6
Left front (power, W)	2300	2300	2300
Left rear (power, W)	1200	1200	1200
Right front (power, W)	1200	1200	1800
Right rear (power, W)	1800	1800	1200
power rating			
Connection	hardwired	hardwired	hardwired
Max Power Rating (kW)	6.5	6.5	6.5
Voltage	220-240V	220-240V	220-240V
dimensions^			
Product Dimensions WxDxH (mm)	590 x 520 x 51	590 x 520 x 51	900 x 520 x 51
Cut-out Dimensions WxD (mm)	560 x 490	560 x 490	880 x 490

SOLID COOKTOPS



	CHS642WB	CHS642SB	CHS942WB
Type	electric, solid	electric, solid	electric, solid
Cooktop finish	white enamel	stainless steel	white enamel
Control	knobs, silver	knobs, silver	knobs, silver
Width (nominal)	60cm	60cm	90cm
Features			
Corrosion resistant hotplate	✓	✓	✓
Powerful zone	✓	✓	✓
Residual Heat Indicator	✓	✓	✓
Auto safety cut off	✓	✓	✓
cooking zones			
No. of zones	4	4	4
Left front (power, W)	1500	1500	1500
Left rear (power, W)	2000	2000	1500
Right front (power, W)	1500	1500	1500
Right rear (power, W)	1500	1500	2000
power rating			
Connection	hardwired	hardwired	hardwired
Max Power Rating (kW)	6.5	6.5	6.5
Voltage	220-240V	220-240V	220-240V
dimensions^			
Product Dimensions WxDxH (mm)	600 x 535 x 58	600 x 535 x 58	870 x 406 x 58
Cut-out Dimensions WxD (mm)	570 x 490	570 x 490	825 x 362

GAS
COOKTOPS



CHG642WC

CHG642SC

CHG644WC

Cooktop finish	white enamel	stainless steel	white enamel
Control	knobs, silver	knobs, silver	knobs, silver
Control location	side, right	side, right	side, right
Width (nominal)	60cm	60cm	60cm
main features			
Wok burner power	12.1 MJ/h	12.1 MJ/h	14.4 MJ/h
Trivets	wired enamel	wired enamel	cast iron
burner			
No. of burners	4	4	4
Left front	12.1 MJ/h	12.1 MJ/h	14.4 MJ/h
Left rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
Centre rear			
Right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
Right rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
Auto ignition, under knob			✓
Push button ignition (battery)	✓	✓	
Safety flame failure device	✓	✓	✓
dimensions			
Product WxDxH* (mm)	600 x 535 x 58	600 x 535 x 58	600 x 535 x 58
Cut-out WxD (mm)	570 x 490	570 x 490	570 x 490

CHG644SC


CHG644DC

CHG954WC

CHG954SC

stainless steel	black enamel	white enamel	stainless steel
knobs, silver	knobs, black	knobs, silver	knobs, silver
side, right	side, right	side, right	side, right
60cm	60cm	90cm	90cm
main features			
14.4 MJ/h	14.4 MJ/h	14.4 MJ/h	14.4 MJ/h
cast iron	cast iron	cast iron	cast iron
burner			
4	4	5	5
14.4 MJ/h	14.4 MJ/h	14.4 MJ/h	14.4 MJ/h
9.0 MJ/h	9.0 MJ/h	5.1 MJ/h	5.1 MJ/h
		9.0 MJ/h	9.0 MJ/h
5.1 MJ/h	5.1 MJ/h	9.0 MJ/h	9.0 MJ/h
9.0 MJ/h	9.0 MJ/h	12.1 MJ/h	12.1 MJ/h
✓	✓	✓	✓
✓	✓	✓	✓
dimensions			
600 x 535 x 58	600 x 535 x 58	860 x 510 x 55	860 x 510 x 55
570 x 490	570 x 490	830 x 470	830 x 470

FIXED RANGEHOODS



CRF610SB

CRF610WB

Finish	stainless steel	white
Width (nominal)	60cm	60cm
Control	slider	slider
Lighting	2 x LED	2 x LED
Light wattage	5.5KW	5.5KW
specifications		
Max. Airflow Rate (m3/hr)	200	200
No. of motor/fan	1	1
Fan speed	3	3
Noise level low (dBA)	63	63
Dishwasher safe mesh filters	Yes	Yes
No. of filter(s)	2	2
Duct out through, diameter (mm)	top or rear, 120	top or rear, 120
power rating		
Connection	wire	wire
Motor Power Rating	125W	125W
Voltage	220-240V 50Hz	220-240V 50Hz
dimensions^		
Product WxHxD (mm)	598 x 160 x 500	598 x 160 x 500

PULL-OUT RANGEHOODS



CRR612SB

CRR612WB

CRR612DB

Finish	stainless steel	white	black
Width (nominal)	60cm	60cm	60cm
Control	slide out/push pull	slide out/push pull	slide out/push pull
Lighting	1 x LED	1 x LED	1 x LED
Light wattage	5.5KW	5.5KW	5.5KW
specifications			
Max. Airflow Rate (m3/hr)	200	200	200
No. of motor/fan	1	1	1
Fan speed	2	2	2
Noise level low (dBA)	65	65	65
Dishwasher safe mesh filters	Yes	Yes	Yes
No. of filter(s)	2	2	2
Duct out through, diameter (mm)	top, 120	top, 120	top, 120
power rating			
Connection	wire	wire	wire
Motor Power Rating	125W	125W	125W
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
dimensions^			
Product WxHxD (mm)	597 x 175 x300	597 x 175 x300	597 x 175 x300
Fascia Height (mm)	40	40	40

INTEGRATED RANGEHOODS



CRI514DB

CRI714DB

Finish	black	black
Width (nominal)	51cm	71cm
Control	slider	slider
Lighting	2 x LED	2 x LED
Light wattage	5.5KW	5.5KW
specifications		
Max. Airflow Rate (m3/hr)	340	370
No. of motor/fan	1	1
Fan speed	2	2
Noise level low (dBA)	49	49
Dishwasher safe mesh filters	Yes	Yes
No. of filter(s)	1	2
Duct out through, diameter (mm)	top, 120	top, 120
power rating		
Connection	wire	wire
Motor Power Rating	100W	100W
Voltage	220-240V 50Hz	220-240V 50Hz
dimensions^		
Product WxHxD (mm)	512 x 200* x 304	712 x 200* x 304
Cut-out WxHxD (mm)	455 x 200 x 276	655 x 200 x 276

* including outlet

CANOPY RANGEHOODS



CRC612SB

CRC914SB

CRC914DB

Finish	stainless steel	stainless steel	black
Width (nominal)	60cm	90cm	90cm
Control	push button	push button	push button
Lighting	2 x LED	2 x LED	2 x LED
Light wattage	5.5KW	3.5KW	3.5KW
specifications			
Max. Airflow Rate (m3/hr)	550	800	800
No. of motor/fan	1	1	1
Fan speed	3	3	3
Noise level low (dBA)	48	69	69
Dishwasher safe mesh filters	Yes	Yes	Yes
No. of filter(s)	2	3	3
Duct out through, diameter (mm)	top, 120	top, 150	top, 150
power rating			
Connection	wire	wire	wire
Motor Power Rating	145W	277W	277W
Voltage	220-240V 50Hz	220-240V 50Hz	220-240V 50Hz
dimensions^			
Product WxHxD (mm)	598 x (1240 max) x 500	900 x (690 - 1135) x 500	900 x (690 - 1135) x 500

**WE'RE
ALL
ABOUT
MAKING
LIFE
EASY.**

LIKE TO KNOW MORE? EASY.



Customer Care Centre

Contact us if you need more help

Electrolux Home Products

telephone: 13 13 49

email: customercare@electrolux.com.au

web: chefappliances.com.au

Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

† Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is provided on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow and may vary slightly.

